288 National Standard Optical Cable



Overview

288 singlemode fibres for high density data center distribution applications. The fibres shall be ribbonized for easy mass fusion splicing and termination with 12-fibre MPO style connectors.

Article Content

Opti-Core 144 and 288-Fibre Indoor Ribbon Cables, LSZH and

288 singlemode fibres for high density data center distribution applications. The fibres shall be ribbonized for easy mass fusion splicing and termination with 12-fibre MPO style connectors.

GCCF288 Technical Data Sheet

Product feature: This cable has improved rodent protection by Corrugated Steel Tape (Full Rodent Protected). Existing out of 12 tubes with a diameter of 2.5mm with 288 fibers (12t x 24f) MM OM2.

ALTOS® Loose Tube, Gel-Free Cable 288 F, Single

The loose tube gel-free design is fully waterblocked using craft-friendly, water-swellable materials, which means cable access is simple and no clean up is

Multi-Loose Tube Fiber Cable



© 2026 METRA FIBER MARKET - All rights reserved

Product Number: FSSL288ND Outdoor Loose Tube OS2 288 Fibers OSP Sub-Units (12F) Dry FX Outdoor, Loose Tube, OS2, 288 Fibers, OSP, Sub-Units (12F) Dry, Black Jacket Availability: Global

288ZV5-14700S53 | RocketRibbon® Cable-250 288 F,

Providing up to 864 fibers in a compact design and long-term reliability in aerial, duct, and direct-buried applications. The FastAccess® jacket reduces access

760086710 | R-288-LN-8W-F12BK/25D | CommScope

Fiber Indoor/Outdoor cable, TeraSPEED®, Single Jacket All-Dielectric, 288 fiber, Riser Rated, Gel-Free, Stranded Loose Tube, Singlemode G.652.D and G.657.A1, Feet jacket marking, Black jacket color

288 Count Fiber Optic Cables

We stock a full array of multimode fiber cable and singlemode fiber optic cables in loose tube, indoor, indoor outdoor, plenum, breakout, tight buffer, 10 Gigabit Aqua fiber optic cable and more.

288 Fiber Cable

As the leading world manufacturer of fiber optic cable, AFL is uniquely positioned to provide a full line of all-dielectric self-supporting (ADSS) aerial cables and Optical Ground Wire (OPGW) as well as

National standard outdoor armored 10g multimode optical cable: 288

This 25-year-old, national standard, outdoor armored 10 gigabit multi-mode fiber optic cable, boasting an ultra-high density of 288 cores and exceptional outdoor protection, has become

288 Fiber Micro Distribution with 2mm buffer tubes, Plenum

The Light Connection, Inc. 288 fiber Micro Distribution Cable is composed of twenty-four buffer tubes, a central member, aramid yarn, an aramid ripcord, and a PVDF outer jacket.

Multi-Loose Tube Fiber Cable

Outdoor dry core optical fiber Multi Loose Tube cable with aramid yarns as strength member and polyethylene outer jacket. Existing out of 12 tubes with a diameter of 2.5mm with 288 fibers (12t x

288 F, Single-mode (OS2) Gel-Free, Single-Jacket, Single-Armored Cable ...

288 F, Single-mode (OS2) Gel-Free, Single-Jacket, Single-Armored Cable - Corning Home Products Fiber Optic Cables Outdoor Loose Tube Single-Jacket & Armored 288EUC

© 2026 METRA FIBER MARKET - All rights reserved

Multi-Loose Tube Fiber Cable

Universal (Indoor/Outdoor) dry core optical fiber Multi Loose Tube cable with aramid yarns as strength member, Low Smoke Zero Halogen inner jacket, Corrugated Steel Tape (Full Rodent Protected)

Product Spec Sheet 288FUC-T4101D20

288FUC-T4101D20 Corning ALTOS® Lite gel-free, single-jacket, single-armored cables are designed for campus backbones in direct-buried installations. The loose tube design provides

TECHNICAL DATA SHEET FOR OPTICAL FIBER CABLE AIR

Each single cable length been wound on an iron stand -wooden composite or pure wooden drum. 6. 2 Standard drum length is 4000m with ±2%. 6.3 Covered by plastic buffer sheet. 6.4 Sealed by strong

288 Fiber OSP Single Mode Fiber Optic Cable Dry Core Steel

Applications : • Underground duct and lashed aerial • Trunk, distribution and feeder cable • Local loop, metro, long-haul and broadband network Features : • Multiple fiber types including composites •

Product Spec Sheet 288EV8-14101-A3

288EV8-14101-A3 Corning UltraRibbon riser gel-free interlocking armored cables continue the innovative breakthrough in indoor cable technology with a new generation of high-fiber

288EV4-14100D53 | SST-UltraRibbon Single-Tube, Gel-Free Cable 288

Corning SST-UltraRibbon gel-free cables continue the innovative breakthrough in outdoor cable technology by introducing a new generation of high-fiber-count gel-free cables. Providing high-fiber

© 2026 METRA FIBER MARKET - All rights reserved

Contact Us

Continue your research online:

Website: https://metramarket.es
Technical inquiry: https://metramarket.es/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.



© 2026 METRA FIBER MARKET - All rights reserved