Introduction to the National Standard Thickness of Galvanized Cable Trays



Overview

Galvanized Cable Tray Zinc Coating Standards and The standard stipulates that the zinc coating thickness for electro-galvanized trays and accessories shall.

Key Takeaways

For galvanized cable trays, the standard zinc coating thickness ranges from 12μm for electro-galvanized trays to 65μm for hot-dip galvanized trays, with tray sheet metal thickness typically between 1. 5mm and 3mm.

Tray Sheet Metal Thickness

The side plates and base plates of cable trays generally have a thickness of 1. 5mm to 3mm, while heavier components such as brackets and supports may exceed 3mm and require higher coating standards to ensure durability and corrosion resistance. Zinc Coating Thickness StandardsElectro-galvanized trays: Minimum zinc coating thickness is 12μm, suitable primarily for dry indoor environments due to limited corrosion resistance.

Hot-dip galvanized (HDG) trays: Minimum zinc coating thickness is 65μm, suitable for outdoor or highly corrosive environments, including bridges and industrial installations. Local thickness vs. mean coating mass: Local thickness refers to the minimum zinc thickness at any single test point, measured with a magnetic thickness gauge, while mean coating mass is the average zinc mass per unit area, determined gravimetrically for quality verification.

© 2026 METRA FIBER MARKET - All rights reserved

Appearance and Quality Requirements

The galvanized coating should be continuous, uniform, and smooth. Minor imperfections such as dull areas, passivation films, or water marks are acceptable, but defects like bare spots, blisters, rough nodules, or excessive zinc dross are not permitted. Environmental ConsiderationsElectro-galvanized trays are not suitable for sea freight or humid, chloride-rich environments, as thin coatings can quickly develop white or red rust.

Hot-dip galvanized trays provide superior protection in such conditions.

Compliance and Standards

National standards for cable trays often reference GB/T 26941. 1-2011 for electro-galvanized trays and other local regulations for hot-dip galvanization. Compliance ensures that cable trays meet mechanical, electrical, and corrosion resistance requirements for their intended application.

In summary, when selecting galvanized cable trays, it is essential to match the metal thickness and zinc coating to the environmental conditions and load requirements, ensuring compliance with national standards for safety and longevity.

Article Content

Galvanized Cable Tray Zinc Coating Standards and

The standard stipulates that the zinc coating thickness for electro-galvanized trays and accessories shall not be less than 12μm. This requirement

Cable Tray Technical Specifications | PDF | Galvanization ...

The document provides a technical data sheet for cable trays including ladder and perforated types. It lists specifications for material, thickness, dimensions, loading capacity, fittings and accessories.

Cable Tray Specifications and Sizes | PDF | Galvanization

The document specifies requirements for cable trays, including that they be fabricated from galvanized sheet steel in standard lengths and widths. It provides details on perforated and ladder cable tray

National standard for cable tray thickness, weight per meter-Shandong ...

The national standard for cable tray thickness specifies the minimum allowable plate thickness for different specifications of steel bridge, FRP bridge and aluminum alloy bridge.

Cable Tray Guide: Picking the Best Thickness and Width Options

© 2026 METRA FIBER MARKET - All rights reserved

However, selecting the correct thickness and width of a cable tray is essential to maximize performance, avoid safety hazards, and minimize costs. This article explains the key

Cable Tray Standards | Cable Management | Metsec

Metsec cable tray systems are usually assembled using M6 roofing bolts particularly for couplers, fishplates and connection to supporting framework. These bolts should be tightened to a torque of

The commonly used dimensions, thickness, and coating of galvanized ...

Galvanized sheet is one of the most commonly used and important materials for making electrical wire boxes and trunking. Its size, thickness, and coating directly affect the mechanical

Codes and Standards | Cable Tray Institute

The Cable Tray Institute is making available the current edition of this practical guide for the proper installation of aluminum or steel cable tray systems. These guidelines will be useful to engineers,

Metal Cable Tray Systems Standard NEMA VE 1-2017

NEMA VE 1-2017 standard for metal cable tray systems. Covers construction, materials, dimensions, load capacity, and testing.

Cable Tray Bend and Offset Formulas

The document discusses Metstrut cable tray systems, including their configuration, materials, dimensions, and compliance with industry standards. Key points: - Cable trays have integral

CABLE LAddEr TrAY

The National Electrical Manufacturers Association (NEMA VE-1) USA, classifications for Cable Trays were established to simplify and standardize the specifications of Cable Trays.

Cable Tray Specifications and Guidelines

This document provides general guidelines for cable trays and their installation. It discusses the different types of cable trays, including perforated and ladder types, and specifies their

Galvanized Cable Tray Zinc Coating Standards and

Comprehensive guide to galvanized cable tray zinc coatings. Know HDG vs electro-galvanizing standards (GB/T 13912, GB/T 26941), thickness

© 2026 METRA FIBER MARKET - All rights reserved

QCS 2010: Cable Tray Specifications | PDF | Cable | Screw

It specifies that cable trays shall be constructed from hot-dipped galvanized mild steel with a minimum thickness of 1.5mm. Tray components must be accurately formed to tolerances with rounded edges.

Cable Tray Technical Guide A practical guide to product selection and ...

A practical guide to product selection and installation This guide for engineers and installers has been developed by ABB as a practical reference regarding cable tray characteristics, installation, and

Wire Mesh Cable Trays Technical Information Detailed, Material ...

WIRE MESH CABLE TRAY Surface Finish: ♦ Electro zinc plated–for indoor use to BS EN 12329-2000, 12microns thick. ♦ Hot Dipped Galvanized–for outdoor use to BS EN 1461-1999, between 60 and 80

Cable tray

Cable tray Electrical installations Wiring practice by region or country North American practice United Kingdom practice Regulation of electrical installations International standard (IEC 60364) UK wiring

GUIDE CABLE TRAYS TECHNICAL

In accordance with its continuous impro-vement policy, Legrand reserves the right to change the specifications and illus-trations without notice. All illustrations, descriptions and technical information

Contact Us

Continue your research online:

Website: https://metramarket.es
Technical inquiry: https://metramarket.es/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 METRA FIBER MARKET - All rights reserved