

Lithuanian optical cable corrugated sleeve resistant to low temperatures



Overview

The 90° angled conduit fitting CONFiX™ FWS is for installation of parallel corrugated cable protection conduits, e.g.

Key Takeaways

GYTZA fiber optic cables with corrugated aluminum armor and LSZH outer sheath are suitable for extreme low-temperature environments down to -40°C.

Key Features

Construction: The GYTZA cable features a loose tube stranded design with a central metallic strength member, providing excellent tensile strength and protection for optical fibers against mechanical stress and environmental factors. The corrugated aluminum tape armor offers superior moisture resistance and mechanical protection, making it ideal for outdoor and industrial applications. **Outer Sheath:** The cable uses a flame-retardant LSZH (Low Smoke Zero Halogen) outer jacket, ensuring safety in enclosed spaces such as tunnels or subways while minimizing toxic smoke emission in case of fire.



Temperature Resistance: These cables operate reliably in a wide temperature range from -40°C to +70°C, ensuring performance in harsh climates and extreme cold conditions. **Durability:** The loose tube design, combined with moisture-resistant filling compounds, protects fibers from environmental stress, while the metallic central member and corrugated armor provide mechanical robustness against rodent attacks, crushing, and installation stresses. **Applications:** Suitable for high-performance outdoor communication networks, industrial backbones, and environments where low temperatures, UV exposure, and mechanical hazards are concerns.

Additional Considerations

Tensile Strength: The metallic central member ensures the cable can withstand installation tension and long-term mechanical loads. **Moisture Protection:** Corrugated armor and water-blocking compounds prevent water ingress, maintaining fiber integrity. **Compliance:** LSZH materials comply with safety standards for fire-prone or enclosed environments, reducing risks associated with halogen-based jackets.

In summary, for Lithuanian or similar cold-climate installations requiring corrugated armored optical cables, the GYTZA LSZH fiber optic cable provides a robust solution with low-temperature resistance, mechanical protection, and fire safety, making it highly suitable for demanding outdoor and industrial applications.

Article Content

Corrugated sleeve, Corrugated conduit

The 90° angled conduit fitting CONFiX™ FWS is for installation of parallel corrugated cable protection conduits, e.g. in machines, control panels or control

Product Spec Sheet 096EUV-T4101D2N

Based on proven stranded loose tube cable designs, these industrial cables are flame-retardant and have been tested to meet mechanical/environmental conditions exceeding the

HITRONIC® HVW Armoured Outdoor Cable

With reinforced glass yarn for strain relief and rodent protection. Unless specified otherwise, the shown product values are nominal values. Detailed values (e.g.

Corrugated Sleeving | McMaster-Carr

Choose from our selection of corrugated sleeving, including over 36,300 products in a wide range of styles and sizes. Same and Next Day Delivery.

Product Spec Sheet 024EUV-T4101D20

Corning LSZHTM loose tube gel-free cables are flame-retardant, indoor/outdoor, suitable for installation in interbuilding and intrabuilding applications. The loose tube design offers mechanical

Extreme Low Temp LSZH Industrial Fiber Optic Cable

The cable construction incorporates a variety of packaging technologies that allow for operation in extremely low temperatures, mechanically abusive installations,

072ZUV-T4101D20 | LSZH™ Loose Tube, Gel-Free,

Corning LSZH™ loose tube gel-free cables are flame-retardant, indoor/outdoor, suitable for installation in interbuilding and intrabuilding applications. The loose

Wire-Protection Sleeving | McMaster-Carr

Choose from our selection of wire-protection sleeving, including expandable sleeving, tube sleeving, and more. Same and Next Day Delivery.

012EUV-T4101D2N

Based on proven stranded loose tube cable designs, these industrial cables are flame-retardant and have been tested to meet mechanical/environmental conditions exceeding the requirements set for

Features and Benefits

Based on proven stranded loose tube cable designs, these industrial cables are flame-retardant and have been tested to meet mechanical/environmental conditions exceeding the requirements set for

Harsh Environment Fiber Optic Cable Solutions for

Explore how to select the right fiber optic cable for challenging environments including high temperatures, extreme cold, salt spray, humidity,

Choosing the Right Fiber Cable for Harsh

Fiber optic cables are the backbone of modern communication systems, offering exceptional speed, bandwidth, and resistance to

Low-temperature / cold-resistant cables

Innovative tailor-made cold-resistant Cables. Low-temperature cables operate successfully in a temperature range from plus 90 down to as low as minus 50 degrees Celsius

Armoured Fiber Optic Cables For Underground/Duct Application

Armoured fiber optic cables are specialized optical cables reinforced with protective layers to guard against mechanical stress, environmental hazards, and accidental damage.

Multi Loose Tube, Corrugated Steel Tape Armor, Fire

Solutions » Fiber Solutions » Fiber Optic Cable » Multi Loose Tube, Corrugated Steel Tape Armor, Fire Resistant FOC. Applications: • Indoor and duct type

Industrial LSZH™ Tray-Rated, Loose Tube, Gel

However, cables deployed in industrial applications, particularly on the plant floor, are typically exposed to greater risk of fire, extreme temperatures or chemical exposure. This often makes halogen cables

LA Series Arctic Low Temperature Loose Tube Cable

The LA-Series fiber optic cable is design to operate reliably at temperatures as low as -50C and up to +70C. The optical fibers high protected in gel-filled tubes and

Insulation sleeve for Wire & Cable

Choose Zetex heat-resistant sleeves for wire and cable protection. A flexible insulation solution trusted in power, defense, and industrial systems.

Contact Us

Continue your research online:

Website: <https://metramarket.es>

Technical inquiry: <https://metramarket.es/contact.html>

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

