Price of double-layer cable tray seismic bracing



Overview

Cablofil Wiremesh Cable Tray concept based upon performance, safety and economy; three qualities which make Cablofil Wiremesh Cable Tray system preferred by installers.

Key Takeaways

The cost of installing double-layer cable trays with seismic bracing typically ranges from $50 to $150 per linear foot, depending on tray type, seismic requirements, and labor complexity.

Cost Components

Cable Tray Material

Standard B-Line or wire mesh cable trays are commonly used for double-layer installations. Prices vary by material (steel, aluminum, or wire mesh) and size, typically $15–$50 per linear foot for commercial-grade trays.

Seismic Bracing

Seismic bracing kits, such as Eaton's TOLCO or B-Line series or Cablofil wire mesh kits, include clamps, wire assemblies, and threaded rods. These kits are designed for fast, code-compliant installation and cost approximately $10–$40 per linear foot, depending on kit type and seismic zone. Labor for installing seismic bracing is higher than standard tray installation due to additional layout, attachment, and compliance with building codes, especially in high seismic zones like California or Seattle.

© 2026 METRA FIBER MARKET - All rights reserved

Installation Labor

Labor costs vary by region and complexity. For double-layer trays with seismic bracing, expect $25–$60 per linear foot, including mounting, bolting, and alignment. Retrofit installations may increase labor costs due to limited access and additional structural considerations.

Factors Affecting Total Cost

Seismic Zone: Higher seismic risk areas require more robust bracing and stricter code compliance, increasing both material and labor costs. Tray Configuration: Double-layer trays require additional supports, diagonal bracing, and hold-down clamps, which add to material and labor costs. Building Type: Installation in high-rise, hospital, or data center environments may require specialized engineering and PE-stamped drawings, adding to cost.

Installation Speed: Tool-less or pre-engineered kits (e.g., KwikWire clamps) can reduce labor time by up to 50%, potentially lowering overall cost.

Estimated Total Cost

For a 100-foot run of double-layer cable trays with seismic bracing: ComponentEstimated Cost per FootTotal for 100 ftCable Tray Material$15–$50$1,500–$5,000Seismic Bracing Kit$10–$40$1,000–$4,000Labor$25–$60$2,500–$6,000Total$50–$150$5,000–$15,000These estimates are general industry ranges. For precise pricing, it is recommended to contact suppliers or contractors with project-specific details, including tray type, seismic zone, and building layout.

Article Content

Seismic Bracing Kit | Seismic Bracing | Wire and Cable Hangers | Wire ...

Cablofil Wiremesh Cable Tray concept based upon performance, safety and economy; three qualities which make Cablofil Wiremesh Cable Tray system preferred by installers. Cablofil adapts to the most

Cable Tray Two-Way Bracing Seismic Stabilizer Bracket Slotted Steel ...

Cable Tray Two-Way Bracing Seismic Stabilizer Bracket Slotted Steel Strut Channel Support (lateral + Longitudinal) No reviews yet Fire-Resistant Materials $16

Seismic Bracing Ensures Stability and Safety of Cable Trays

Seismic bracing can enhance the stability and safety of cable trays during earthquakes and other vibration events, ensuring your cable system is secure and stable.

Seismic and cable tray solution flyer

© 2026 METRA FIBER MARKET - All rights reserved

Our team of experts can help you select the best cable tray series for your application, as well as designing your seismic bracing layout to ensure it meets applicable building codes and standards.

UNISTRUT Seismic Bracing Solutions

Requirement: Each straight run requires a minimum of (2) transverse braces and (1) longitudinal brace.

Seismic MEP Solutions | Eaton

Eaton''s TOLCO seismic bracing solutions help protect people and non-structural components during an earthquake. For over 60 years, the mechanical, electrical, and fire protection trades have relied on

Seismic Bracing Hardware

These cable seismic braces secure cables around beams and joists in buildings to stabilize them during earthquakes. They accommodate different cable sizes and are commonly used to stabilize hanging

Earthquake Bracing Kit | Seismic Bracing | CPI

The Earthquake Bracing Kit provides customized seismic support for cable runway systems, reinforcing installations to meet earthquake safety codes in centers.

The shake on seismic bracing

Seismic bracing against the wrath of earthquakes is an increasing concern for today''s data-communications and telecommunications cable installer, and efforts to minimize the damage they

How Cable Trays and Seismic Bracing Systems Mitigate Earthquake

In Antakya, a hospital using ISO-compliant cable trays retained functional emergency power and oxygen lines despite 0.8g ground acceleration, while nearby facilities without such

Seismic and cable tray solution flyer

Eaton''s B-Line series cable tray with TOLCO seismic bracing is the recommended total solution for your project. Our cable tray, bolted framing, and seismic bracing are approved as one system through

Lightweight Cable Tray System, Strong, Fast

The generally accepted spacing for seismic bracing (depending on local building codes) is: - Transverse bracing shall not exceed 40''-0” (12.2M). - Longitudinal bracing shall not exceed 80''-0” (24.4M). Click

© 2026 METRA FIBER MARKET - All rights reserved

Seismic Bracing Hardware

Seismic braces include parts and components that secure pipes, conduit, ductwork, and other hanging equipment in buildings during earthquakes. Hardware such as rigid and cable braces, retaining

SOLUTIONS

Engineer certified designs and site inspections Ezystrut offers a range of seismic solutions that comply with Australian Standard AS1170.4. Our one-stop solution for seismic bracing, cable tray, pipe

Cable Tray Earthquake Bracing Kit

This bracing kit is used to prevent damage to cable tray sections during earthquakes. Keeps installation safe and stable during seismic events Includes

Performance-based optimum seismic design of cable tray system

The seismic performance levels of cable tray systems are presented according to current seismic design codes. A performance-based optimum seismic design procedure for cable tray

Vogtle Electric Generating Plant (VEGP) Units 3 and 4 Updated ...

Cable Trays and Cable Tray Supports This appendix provides the design criteria for seismic Category I cable trays and their supports. Seismic Category II cable trays and their supports are also designed

Installing Seismic Restraints for Electrical Equipment

INSTALLING SEISMIC RESTRAINTS FOR ELECTRICAL EQUIPMENT Notice: This guide was prepared by the Vibration Isolation and Seismic Control Manufacturers Association (VISCMA) under

© 2026 METRA FIBER MARKET - All rights reserved

Contact Us

Continue your research online:

Website: https://metramarket.es
Technical inquiry: https://metramarket.es/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 METRA FIBER MARKET - All rights reserved