Relay protection relay operating current



Overview

The various protective functions available on a given relay are denoted by standard. For example, a relay including function 51 would be a timed overcurrent protective relay. An overcurrent relay is a type of protective relay which operates when the load current exceeds a pickup value. It is of two types: instantaneous over current (IOC) relay and definite time overcurrent (DTOC) relay.

Key Takeaways

The operating current of a protective relay, also called the pickup current, is the minimum current at which the relay begins to operate and send a trip signal to isolate a fault.

Definition and Concept

The operating current or pickup current is the threshold current that must flow through a relay's coil to overcome the controlling force (spring, gravity, or magnetic) and actuate the relay contacts, initiating a trip signal to a circuit breaker or other protective device (Electrical4U). Under normal conditions, the current is below this level, so the relay remains inactive.

Adjustment and Settings

The pickup current can be adjusted to match system requirements by changing the number of active turns in the relay coil, a process known as the current setting. This is often expressed as a percentage of the current transformer (CT) secondary rated current. For example, if a relay is set to operate at 125% of the CT secondary current, it will trip when the measured current exceeds this level (Electrical4U).

© 2026 METRA FIBER MARKET - All rights reserved

The Plug Setting Multiplier (PSM) is the ratio of the actual fault current to the relay's pickup current and determines how quickly the relay operates according to its time-current characteristic curve (ForumElectrical). The Time Setting Multiplier (TSM) further adjusts the relay's operating time to coordinate with upstream and downstream protection devices, ensuring selective tripping (ForumElectrical).

Practical Application

In overcurrent protection, the relay is set to operate only under fault conditions, not for normal load variations. Instantaneous units are set to avoid tripping for currents below the expected fault levels, while time-delayed units follow the relay's time-current characteristic to provide selective coordination (Beckwith Electric). For inverse-time relays, the operating time decreases as the fault current increases, allowing faster isolation of severe faults (ABB Handbook).

Summary

The operating current of a relay is a critical parameter that ensures the relay activates only when necessary, protecting equipment and maintaining system stability. It is defined by the pickup current, adjustable via coil settings, and coordinated using PSM and TSM to achieve reliable and selective protection.

Article Content

Protective relay

OverviewRelays by functionsOperation principlesTypes according to constructionPower source

The various protective functions available on a given relay are denoted by standard ANSI device numbers. For example, a relay including function 51 would be a timed overcurrent protective relay. An overcurrent relay is a type of protective relay which operates when the load current exceeds a pickup value. It is of two types: instantaneous over current (IOC) relay and definite time overcurrent (DTOC) relay.

Protective Relays: Types, Working Principle & Uses

Protective relays are power system protection devices that monitor current, voltage, frequency, impedance, or differential quantities and command circuit breakers when faults or

Protective Relay: Working, Types, and Applications

The working of a protective relay is based on continuous monitoring of electrical quantities such as current, voltage, frequency, and power. A typical

Protection Relay Setting Interactive Calculator | FIRGELLI

© 2026 METRA FIBER MARKET - All rights reserved

Use this Protection Relay Setting Calculator to calculate pickup current, time multiplier settings (TMS), operating time, coordination time interval (CTI), and plug setting multiplier (PSM)

Practical handbook for relay protection engineers | EEP

The relay must be able to discriminate (select) between those conditions for which prompt operation is required and those for which no

Power System Protective Relays: Principles & Practices

(protective relaying of utility-consumer interconnections) A means of supervising the operation of one relay element with another. For example, an overcurrent relay cannot operate unless the lag coil

Protection Basics

Ground fault protection for these systems is usually provided by residual protection, either calculated by relay or by external CT residual connection to IN input

Time Overcurrent Relay Calculator

Calculate time overcurrent relay settings with IEEE & IEC standards. Learn IDMT relay formulas, TMS/TD settings and protection coordination.

Over Current Relay Working Principle Types

In an over current relay or o/c relay the actuating quantity is only current. There is only one current operated element in the relay, no voltage coil etc. are required to construct this protective

The Basics Of Overcurrent Protection

The operating time of both overcurrent definite-time relays and overcurrent inverse-time relays must be adjusted in such a way that the relay closer to the fault trips before any other protection.

Power System Protective Relays: Principles & Practices

Abstract: Protective relays and devices have been developed over 100 years ago to provide “last line” of defense for the electrical systems. They are intended to quickly identify a fault and isolate it so the

Overcurrent Protection Fundamentals R

OVERCURRENT PROTECTION FUNDAMENTALS Relay protection against high current was the earliest relay protection mechanism to develop. From this basic method, the graded overcurrent relay

6 Types of Over Current Relay Used in Power System Protection

© 2026 METRA FIBER MARKET - All rights reserved

The relay trips the associated circuit breaker. Overcurrent relay protection protects the power systems and its equipments such as transmission lines, transformers, generators, or motors against short

Introduction to Protective Relaying | Electric Power Measurement and ...

Introduction to Protective Relaying What are Protective Relays, or Protection Relays? Protective relays are used in industrial power generation and supply systems to open and isolate branch circuits in the

Distribution Automation Handbook

The operating time of definite time relays does not depend on the magnitude of the fault cur-rent, while the operating time of inverse time relays is shorter the higher the fault current magnitude is. The time

Fundamental overcurrent, distance and differential protection ...

Essential protection principles The aim of this technical article is to cover the most important principles of four fundamental relay protections: overcurrent, directional overcurrent,

Differential Relaying 101

High-Impedance Differential Relaying High-impedance differential relaying is a variation of current differential relaying that uses a high-impedance relay to detect faults. This type of relaying

The fundamentals of protection relay co-ordination and time/current ...

The relay settings are first determined to give the shortest operating times at maximum fault levels and then checked to see if operation will also be satisfactory at the minimum fault current

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 METRA FIBER MARKET - All rights reserved

Contact Us

Continue your research online:

Website: https://metramarket.es
Technical inquiry: https://metramarket.es/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 METRA FIBER MARKET - All rights reserved