Width requirements for distribution box lintels



Overview

Lintels shall be provided over all openings equal to or greater than 2 feet (610 mm) in width. Stressline standard galvanised steel lintels are manufactured from DX51D grade steel to BS 10346:2006, with a zinc coating type Z600, giving a minimum zinc coating of 600g/m2 per two sides. All cut edges are treated with corrosion resistant paint. RS and RSC lintels are manufactured from structural. A lintel calculator is an essential tool for builders, engineers, and homeowners to determine the correct lintel size, material, and load capacity for doors, windows, and wall openings. By using a lintel calculator, you can quickly work out the required dimensions and specifications—whether for. The National Concrete Masonry Association (NCMA) is a not-for-profit organization whose mission is to support and advance the common interests of its members in the manufacture, marketing, research, and appli-cation of concrete masonry products. This guide aims to simplify the process of choosing the right lintel size for your construction needs.



© 2026 METRA FIBER MARKET - All rights reserved

Article Content

LINTEL TECHNICAL GUIDE 2022

Avoid shock loading of lintels during the installation of concrete floor units and any sideways loading while being fitted into position. Precast flooring units should be laid on a mortar bed across the whole

Lintel Calculator

By using a lintel calculator, you can quickly work out the required dimensions and specifications—whether for steel, concrete, or timber lintels—based on span length, load-bearing

Lintel Design Manual

Factors such as construction practices and building code requirements can vary significantly, even in the same locality. For this reason, the information contained in the handbook is necessarily of a general

2021 International Residential Code (IRC)

Lintels shall be provided over all openings equal to or greater than 2 feet (610 mm) in width. Lintels with uniform loading shall conform to Sections R608.8.2.1 and R608.8.2.2, or Section R608.8.2.3.

What Size Lintel Do I Need? Lintel Selection Made Easy

Learn how to calculate the correct lintel size for your project. Discover factors like clear span, load-bearing ratios, and standard lintel lengths.

Lintel size guide: How to specify lintel dimensions

Catnic presents a buying guide covering the different lengths and dimensions of lintels. Have a read and make the right choice for your project.

LINTEL GUIDE

Most lintels contain a perforated steel key plate for rendering purposes and/or a steel strengthening plate for heavy duty requirements which also poses no hazard.

Lintel Sizing Calculator — What Size Lintel Do I Need UK?

This calculator determines the minimum lintel length by adding the required bearing length to each side of the opening width. It then provides guidance on suitable lintel types based on your wall

Lintel selection: A step-by-step guide | Stressline Limited

© 2026 METRA FIBER MARKET - All rights reserved

A rolled steel lintel is often required for widths of 3.6m and above. The lintel length will have to be 300mm wider than the opening to allow a 150mm bearing on both sides of the opening. At

Selecting the Correct Lintel | What lintel do I need? | IG Lintels

Need help selecting the Correct Lintel? Our guide shows you step by step how to choose the right lintel for your project. Contact our team for expert advice

6 Lintel Sizes UK for Masonry | Guide

Standard steel lintels are available in a range of widths to accommodate different structural requirements and load-bearing capacities. It is crucial to choose a lintel with an appropriate

8 Standard Steel Lintel Sizes | Masonry Guide

Conclusion Standard steel lintel sizes are an essential aspect of construction projects, providing structural support and load distribution.

Lintel size guide: How to specify lintel dimensions

With that said, Catnic offers cavity wall lintels in lengths ranging from 750 mm to 4800 mm, providing the desirable blend of durability, performance, and cost-effectiveness. Internal Solid Wall Box lintels

PRODUCT GUIDE

STANDARD LINTELS IG produces a wide range of standard galvanised steel lintels. All IG standard lintels satisfy the thermal performance requirements of all UK building regulations.

Specifying Steel Lintels

Whitepaper Specifying Steel Lintels Catnic — A Tata Steel Enterprise Two-dimensional temperature distribution, highlighting the effectiveness of the thermal break in the lintel.

Typical Lintel Beam Details | PDF | Building Engineering ...

Typical Lintel Beam Details The document provides details on the schedule of reinforced concrete (RCC) lintels for clear spans between 600mm to 5200mm. It includes information on the size, steel

Lintel Design and Calculation Guide

A lintel is a horizontal structural member that supports loads above openings like doors and windows, and comes in various materials including timber, stone, brick, steel, and reinforced concrete. The

© 2026 METRA FIBER MARKET - All rights reserved

Technical Guidance Note (Level 2, No. 20): Design and detailing of ...

It does this by spreading the vertical load of the masonry – and any other vertical loads being applied to the wall – away from the opening to either side of it. This Technical Guidance Note offers advice on

Contact Us

Continue your research online:

Website: https://metramarket.es
Technical inquiry: https://metramarket.es/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 METRA FIBER MARKET - All rights reserved